Material Safety Data Sheet



200-005

1. Product and company identification

156142

Product name

Castrol HD Motor Oil 30

MSDS#

466158

Code

466158-US12

Product use

Engine Oils.

For specific application advice see appropriate Technical Data Sheet or consult our company

representative.

Vanufacturer

BP Lubricants USA, Inc 1500 Valley Road Wayne, NJ USA

07470

Supplier

Wakefield Canada, Limited 3620 Lakeshore Blvd West Toronto, Ontario, Canada

M8W 1P2

Phone Number - 416-252-5511 Fax Number - 416-252-7315

BP Lubricants USA, Inc 1500 Valley Road Wayne, NJ USA

07470

Phone Number - 973-633-2296 Fax Number - 973-633-7475

EMERGENCY HEALTH

NFORMATION:

1 (800) 447-8735

Outside the US: +1 703-527-3887 (CHEMTREC)

EMERGENCY SPILL

NFORMATION:

1 (800) 424-9300 CHEMTREC (USA)

THER PRODUCT

NFORMATION

1 (866) 4 BP - MSDS

(866-427-6737 Toll Free - North America)

email: bpcares@bp.com

2. Hazards identification

hysical state

Liquid.

Color

Brown.

Emergency overview

CAUTION!

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash

thoroughly after handling.

Routes of entry

Dermal contact. Eye contact. Inhalation.

otential health effects

Eyes

May cause eye irritation.

Product name Castrol HD Motor Oil 30

Product code

466158-US12

Page: 1/6

Version 2

Date of issue 06/22/2015.

Format Canada

Language ENGLISH

(Canada)

Skin

May cause skin irritation.

Inhalation

May cause respiratory tract irritation.

Ingestion

Ingestion may cause gastrointestinal irritation and diarrhea.

See toxicological information (Section 11)

3. Composition/information on ingredients

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

ngredient name

CAS#

%

Base oil - highly refined Base oil - highly refined

Varies

90 - 95

Varies

1-5

4. First aid measures

Eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get

medical attention if symptoms occur.

3kin contact

Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes.

Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if

symptoms occur.

nhalation

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical attention.

ngestion

Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been

swallowed, call a physician immediately. Get medical attention if symptoms occur.

Notes to physician

Treatment should in general be symptomatic and directed to relieving any effects.

5. Fire-fighting measures

Flash point

Flosed cup: >200°C (>392°F) [Pensky-Martens.]

Fire/explosion hazards

In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable

Use an extinguishing agent suitable for the surrounding fire.

Not suitable

Do not use water jet.

Fire-fighting procedures

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

-lazardous combustion

products

Combustion products may include the following:

carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide)

Protective clothing (fire)

Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for cleaning up

Product name Castrol HD Motor Oil 30

Product code

466158-US12

Page: 2/6

Version 2 Date of issue 06/22/2015.

Format Canada

Language ENGLISH

(Canada)

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling

Put on appropriate personal protective equipment (see Section 8). Workers should wash hands and face before eating, drinking and smoking. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Storage

Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Not suitable

Prolonged exposure to elevated temperature

Other information

Sulfur compounds in this material may decompose when heated to release hydrogen sulfide gas which may accumulate to potentially lethal concentrations in enclosed air spaces. Vapor concentrations of hydrogen sulfide above 50 ppm, or prolonged exposure at lower concentrations, may saturate human odor perceptions so that the smell of gas may not be apparent. Exposure to concentrations of hydrogen sulfide vapor above 500 ppm may cause rapid death. Do not rely on the sense of smell to detect hydrogen sulfide.

8. Exposure controls/personal protection

Occupational exposure limits

ngredient name

Occupational exposure limits

Base oil - highly refined

CA Alberta Provincial (Canada).

15 min OEL: 10 mg/m³ 15 minutes. Issued/Revised: 7/2009 Form: Mist 8 hrs OEL: 5 mg/m³ 8 hours. Issued/Revised: 4/2004 Form: Mist

CA Quebec Provincial (Canada).

STEV: 10 mg/m³ 15 minutes. Issued/Revised: 1/2000 Form: mist TWAEV: 5 mg/m³ 8 hours. Issued/Revised: 1/2000 Form: mist CA Ontario Provincial (Canada).

TWA: 5 mg/m³ 8 hours. Issued/Revised: 1/1992 Form: mist STEL: 10 mg/m³ 15 minutes. Issued/Revised: 1/1992 Form: mist

Nhile specific OELs for certain components may be shown in this section, other components may be present in any mist, vapor or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Control Measures

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

²ersonal protection

Eyes

Avoid contact with eyes. Safety glasses with side shields or chemical goggles.

Skin and body

Avoid contact with skin and clothing. Wear suitable protective clothing.

Product name Castrol HD Motor Oil 30

Product code

466158-US12

Page: 3/6

Version 2

Date of issue 06/22/2015.

Format Canada

Language ENGLISH

(Canada)

Respiratory

Use adequate ventilation. In accordance with good industrial hygiene and safety work practices,

airborne exposures should be controlled to the lowest extent practicable.

Hands

The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Consult your supervisor or Standard Operating Procedure (S.O.P) for special handling instructions.

Physical and chemical properties

Physical state

Liquid.

Color

Brown.

Odor

Not available.

Odor threshold

Not available.

Flash point

Closed cup: >200°C (>392°F) [Pensky-Martens.]

Specific gravity

Not available.

Density

870 kg/m³ (0.87 g/cm³) at 15°C

эΗ

Not available.

Viscosity

Kinematic: 74.68 mm²/s (74.68 cSt) at 40°C Kinematic: 10.5 mm²/s (10.5 cSt) at 100°C

Boiling point / Range

Not available.

Vielting point / Range

Not available.

Vapor pressure

Not available.

√apor density

Not available.

Evaporation rate

Not available.

Solubility

insoluble in water.

_ogK₀w

Not available.

10. Stability and reactivity

Stability and reactivity

The product is stable.

ossibility of hazardous

eactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

Avoid all possible sources of ignition (spark or flame).

ncompatibility with various substances

Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition

products

Hydrogen Sulfide (H2S)

Hazardous polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological information

Other Toxicity Data

USED ENGINE OILS

Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.

Other information

Contains low concentration of zinc alkyl dithiophosphate (ZDDP). Concentration is not expected to

cause eye or skin irritation.

Product name Castrol HD Motor Oil 30

Product code

466158-US12

Page: 4/6

Version 2

Date of issue 06/22/2015.

Format Canada

Language ENGLISH

(Canada)

otential chronic health effects

Carcinogenicity No known significant effects or critical hazards.

Mutagenicity No known significant effects or critical hazards.

Teratogenicity No known significant effects or critical hazards.

Fertility effects No known significant effects or critical hazards.

Reproductive effects No known significant effects or critical hazards.

Viedical conditions aggravated by over-

exposure

None known.

12. Ecological information

Ecotoxicity

No testing has been performed by the manufacturer.

²ersistence/degradability

Expected to be biodegradable.

Mobility

Spillages may penetrate the soil causing ground water contamination.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

Other ecological nformation

Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

13. Disposal considerations

Naste information

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

NOTE: The generator of waste has the responsibility for proper waste identification (based on characteristic(s) or listing), ransportation and disposal

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory information

WHMIS (Canada)

Not controlled under WHMIS (Canada).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Other regulations

Canada inventory All components are listed or exempted.

United States inventory

All components are listed or exempted. (TSCA 8b)

REACH Status

For the REACH status of this product please consult your company contact, as identified in

Section 1.

Australia inventory (AICS) All components are listed or exempted.

Product name Castrol HD Motor Oil 30

Product code

466158-US12

Page: 5/6

Version 2 Date of issue 06/22/2015. Format Canada

Language ENGLISH

(Canada)

China inventory (IECSC) At least one component is not listed.

Japan inventory (ENCS) At least one component is not listed.

Korea inventory (KECI) All components are listed or exempted.

Philippines inventory All components are listed or exempted.

(PICCS)

Not determined. Taiwan inventory (CSNN)

16. Other information

_abel requirements

CAUTION!

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

History

Date of issue

06/22/2015.

Date of previous issue

06/05/2015.

Prepared by

Product Stewardship

 $m{ec{ec{v}}}$ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group,

't is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Castrol HD Motor Oil 30

Product code

466158-US12

Page: 6/6

Version 2 Date of issue 06/22/2015.

Format Canada

Language ENGLISH

(Canada)