SAFETY DATA SHEET



Issuing Date: 02-Feb-2017 Revision Date: 30-Nov-2018 Version 2.01

1. IDENTIFICATION

Product Name

Ultra Dawn Platinum Power Clean Vibrant Fresh

Product Identifier 91118452_RET_NG

Product Type: Finished Product - Consumer (Retail) Use Only

Recommended Use Dish Care.

Restrictions on UseUse only as directed on label.

Synonyms Ultra Dawn Platinum Power Clean Refreshing Rain (91118453_RET_NG)

Details of the supplier of the safety

data sheet

PROCTER & GAMBLE - Fabric and Home Care Division

Ivorydale Technical Centre 5289 Spring Grove Avenue

Cincinnati, Ohio 45217-1087 USA

Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5

1-800-331-3774

E-mail Address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

2. HAZARD IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

This product is classified under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Hazard Category

Eye Damage / IrritationCategory 2BFlammable LiquidsCategory 3Signal WordWARNING

Hazard Statements Causes eye irritation

FLAMMABLE LIQUID AND VAPOR

Hazard pictograms



Precautionary Statements Wash hands thoroughly after handling

Precautionary Statements -

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Revision Date: 30-Nov-2018

present and easy to do. Continue rinsing

IF SWALLOWED:

Drink 1 or 2 glasses of water

Precautionary Statements - Storage None

Precautionary Statements - DisposalNone

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

| Chemical Name | Synonyms | Trade Secret | CAS-No | Weight-% |
|------------------------------|-------------------------|--------------|------------|----------|
| Sulfuric acid, | Sulfuric acid, | No | 68585-47-7 | 15 - 20 |
| mono-C10-16-alkyl esters, | mono-C10-16-alkyl | | | |
| sodium salts | esters, sodium salts | | | |
| Amine oxides, | Amine oxides, | No | 70592-80-2 | 5 - 10 |
| C10-16-alkyldimethyl | C10-16-alkyldimethyl | | | |
| Alcohols, C9-11, ethoxylated | Alcohols, C9-11, | No | 68439-46-3 | 5 - 10 |
| | ethoxylated | | | |
| Poly(oxy-1,2-ethanediyl), | Poly(oxy-1,2-ethanediyl | No | 68585-34-2 | 5 - 10 |
| alpha-sulfo-omega-hydroxy-, |), | | | |
| C10-16-alkyl ethers, sodium | alpha-sulfo-omega-hydr | | | |
| salts | oxy-, C10-16-alkyl | | | |
| | ethers, sodium salts | | | |
| Ethanol | Ethanol | No | 64-17-5 | 1 - 5 |

Additional information

Actual substance concentrations fall within the ranges stated. Maximum values do not

necessarily represent the values present in the formula.

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact Rinse with plenty of water. Get medical attention immediately if irritation persists.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Get medical attention immediately if symptoms occur.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if

symptoms occur.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Most important symptoms/effects,

acute and delayed

None under normal use conditions. Risk of serious damage to eyes.

F. Indication of immediate medical attention and special treatment needed, if necessary

91118452_RET_NG - Ultra Dawn Platinum Power Clean

Vibrant Fresh

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media In case of fire: Use water, CO2, dry chemical, or foam for extinction.

Unsuitable Extinguishing MediaDo not use a solid water stream as it may scatter and spread fire.

Special hazard Fumes may catch fire.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision Date: 30-Nov-2018

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Advice for emergency responders Use personal protective equipment as required.

Environmental precautionsShould not be released into the environment

Methods and materials for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from open flames, hot surfaces and sources of ignition. Use personal protective

equipment as required. Keep container closed when not in use. Never return spills in

original containers for re-use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a

cool/low-temperature, well-ventilated, dry place away from heat and ignition sources.

Incompatible products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines No exposure limits noted for ingredient(s).

Vibrant Fresh

No relevant exposure guidelines for other ingredients

Exposure controls

Distribution, Workplace and Household Settings: **Engineering Measures**

Ensure adequate ventilation

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Where reasonably practicable this should be achieved by the use of local exhaust

Revision Date: 30-Nov-2018

ventilation and good general extraction

Personal Protective Equipment

Distribution, Workplace and Household Settings: **Eye Protection**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Use appropriate eye protection

Distribution, Workplace and Household Settings: **Hand Protection**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Protective gloves

Skin and Body Protection Distribution, Workplace and Household Settings:

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear suitable protective clothing

Distribution, Workplace and Household Settings: **Respiratory Protection**

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

In case of inadequate ventilation wear respiratory protection

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C Liquid

Appearance translucent Various color by product

Odor Perfume

Odor threshold No information available

Property Values Note

pH value

Melting Point / Freezing Point No information available

100 - 104 °C / 212 - 219 °F Boiling point / boiling range

46.1 - 57.2 °C / 115 - 135 °F Flash point

Product is an aqueous solution containing <=24% alcohol and >=50% water.

10% aqueous solution

Closed cup. Does not sustain combustion.

Evaporation rate No information available Flammability (solid, gas) No information available Flammability Limits in Air

Upper flammability limit No information available **Lower Flammability Limit** No information available Vapor pressure No information available

91118452 RET NG - Ultra Dawn Platinum Power Clean

Vibrant Fresh

Vapor density No information available

Relative density 1.04

Water solubility
Partition coefficient: n-octanol/water No information available
Autoignition temperature
No information available
No information available
No information available

Viscosity 1000 mm2/s

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

10. STABILITY AND REACTIVITY

Revision Date: 30-Nov-2018

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials None in particular.

Hazardous Decomposition Products None under normal use conditions.

11. TOXICOLOGICAL INFORMATION

Product Information

Information on likely routes of exposure

InhalationNo known effect.Skin contactNo known effect.IngestionNo known effect.Eye contactIrritating to eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity No known effect. Skin corrosion/irritation No known effect. Serious eye damage/eye irritation Irritating to eyes. Skin sensitization No known effect. No known effect. Respiratory sensitization Germ cell mutagenicity No known effect. **Neurological Effects** No known effect. Reproductive toxicity No known effect. **Developmental toxicity** No known effect. No known effect. **Teratogenicity** STOT - single exposure No known effect. STOT - repeated exposure No known effect. **Target Organ Effects** No known effect. No known effect. **Aspiration hazard** No known effect. Carcinogenicity

Component Information

| Chemical Name | CAS-No | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------------|------------|------------------------|------------------------|-----------------|
| Amine oxides, C10-16-alkyldimethyl | 70592-80-2 | LD50: 1064 mg/kg, bw. | LD50: > 2000 mg/kg, 24 | - |
| | | OECD 401. Species: Rat | hours, bw. OECD 402. | |
| | | - | Species: Rat | |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | >300-2000 mg/kg bw | - | 1 |
| Poly(oxy-1,2-ethanediyl), | 68585-34-2 | >2001 mg/kg | - | - |
| alpha-sulfo-omega-hydroxy-, | | | | |

| C10-16-alkyl ethers, sodium salts | | | | |
|-----------------------------------|---------|----------------------|---|------------------------|
| Ethanol | 64-17-5 | 10470 mg/kg bw (OECD | - | 116.9 mg/L air (//OECD |
| | | 401) | | 403) |

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

Persistence and degradability

Bioaccumulative potential

Mobility

No information available.

No information available.

13. DISPOSAL CONSIDERATIONS

No information available.

Waste treatment methods

Other adverse effects

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and regulations. Products covered by this SDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations(40 CFR 261).

Revision Date: 30-Nov-2018

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

331

California Hazardous Waste Codes

(non-household setting)

14. TRANSPORT INFORMATION

DOTNot regulatedIMDGNot regulatedIATANot regulated

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):.

| Chemical Name | CAS-No | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------|-----------|--------------------------------|---------------------------|------------------------------|-------------------------------|
| Sodium hydroxide | 1310-73-2 | 1000 lb | - | - | X |

Revision Date: 30-Nov-2018

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

•

| Chemical Name | CAS-No | New Jersey |
|---------------|---------|------------|
| Ethanol | 64-17-5 | X |

| Chemical Name | CAS-No | Massachusetts |
|---------------|---------|---------------|
| Ethanol | 64-17-5 | X |

| Chemical Name | CAS-No | Pennsylvania |
|------------------|-----------|--------------|
| Ethanol | 64-17-5 | X |
| Sodium hydroxide | 1310-73-2 | X |

International Inventories

United States

All intentionally-added components of this product(s) are listed on the US TSCA Inventory

Canada

This product is in compliance with CEPA for import by P&G

Legend

United States Toxic Substances Control Act Section 8(b) Inventory (TSCA)

CEPA - Canadian Environmental Protection Act

16. OTHER INFORMATION

Issuing Date:02-Feb-2017Revision Date:30-Nov-2018

Disclaimer.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS