

Maintenance, Equipment & Chemicals; Inc. SAFETY DATA SHEET

LIKE NEW

(SIMILAR TO OSHA FORM 174)

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product Identifier

Product name

LIKE NEW

Refernce Code

MTEQ

Product #

057

1.2 Uses and uses advised against

CLEANER DEGREASER FOR FIRE RESTORATION ...

1.3 Details of the supplier of the safety data sheet

Supplier name

MEAINTENANCE, EQUIPMENT, & CHEMICALS, INC.

Address

1379 Shoemaker Street Nanty Glo, PA 15943

Telephone

814-749-9015 Toll Free: 1-800-831-4963

Fax

1-888-536-3795

Email

mec@mecchemicals.com

Website

www.mecchemicals.com

1.4 Emergency telephone number(s)

Emergency

1-800-535-5053

International

1-352-323-9500

2. HAZARDS IDENTIFICATION

CLASSIFICATION: UN1760

SIGNAL WORD:

DANGER

SYMBOLS:



HAZARD STATEMENT

Causes skin burn and serious eye damage. KEEP OUT OF REACH OF CHILDREN. May corrode

aluminum and other amphoteric metals. Do not use on anodized or polished aluminum.

Wear protective goggles, gloves, and clothing. Wash contaminated areas with water. In case of PRECAUTION STATEMENT contact consult a physician. Wash hands after use.

GENERAL ADVICE. Follow instructions and use good hygienic practices.

EYES- In case of contact, wash eyes. Remove contact lenses. Consult a physician.

SKIN- Wash skin with water until irritation stops. Wash clothes before reuse. Consult a physician for severe burns. INHALATION- Remove victim to fresh air.

INGESTION- Drink large amounts of water to dilute cleaner. Consult a physician immediately. Mucosal damage can occur counter indicating gastric lavage.

STORAGE- Store in original container indoors between 40 and 100 F.

DISPOSAL- Dispose of in accordance with federal, state, and local regulations. Unused product should be disposed of as a hazardous waste.

OTHER HAZARD- None known.

OTHER INFORMATION-



Maintenance, Equipment & Chemicals; Inc. SAFETY DATA SHEET

LIKE NEW

(SIMILAR TO OSHA FORM 174)

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS#	PERCENT	TLV
Potassium Hydroxide	1310-58-3	<30 ·	3mg/m ³
Dipropylene Glycol	34590-94-8	<10	100 ppm
		1	

4. FIRST AID MEASURES

Eyes

Wash with water until irritation stops. Consult a physician.

Inhalation

.Move victim to fresh air and make comfortable.

Skin

Remove contaminated clothes and wash skin with clean water until irritation subsides. In cases of

severe reaction consult a physician. Wash clothing before reuse.

Ingestion

Drink copious amounts of water to dijute cleaner. Mucosal damage may counter indicate gastric

lavage. Consult a physician. Never give water or anything to an unconscious person.

Other

5. FIRE HAZARD

NONE Water based product

FIREFIGHTING PROCEDURE N/A

EXPLOSION/REACTIVITY DATA

Nonreactive and not explosive.

6. ACCIDENTAL RELEASE MEASURES

Contain spill and clean up excess liquid using a wet vac or mop. Dispose of waste in accordance with federal, state, and local regulations. Wash area to sewer in compliance with regulations.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Use approved hygienic and safety practices when handling product. Wear appropriate protective goggles, gloves, and clothing. Have adequate ventilation to ensure safe usage.

7.2 Conditions for safe storage, including any Incompatibilities

Store in original sealed container indoors between 40 and 100 F. Store apart from reactive products.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES	3mg/m³ mist only
DEDCOMAL ODOTECTION	Minna elasasa esan

Wear glasses, goggles, or face shield when handling product. Chemical resistant gloves, aprons, PERSONAL PROTECTION

and boots should be worn when handling product.

RESPIRATORY PROTECTION Not necessary with normal ventilation. In confined area provide ventilation to prevent vapor build

HYGENIC PRACTICES Wash hands after using and before eating.









Maintenance, Equipment & Chemicals, Inc. SAFETY DATA SHEET

(SIMILAR TO OSHA FORM 174)

LIKE NEW

BIOLING POINT VAPOR PRESSURE EVAPORATION RATE	212 25	SPG	1.145
EVAPORATION RATE	25		
· ·		PERCENT VOLITLE	
	1(water=1)	SOLUBILITY	100%
рН	14	VAPOR DENSITY	N/A
FLAMMABILITY	Non-flammable	REACTIVITY	Stable
10. STABILITY AND REACTIV	VITY	ti kanana kanana kanana manana ma	
STABILITY	Stable	REACTIVITY	Not reactive
HAZARDOUS POLMERIZTION	N Will not occur	FLAMMABILITY	Water based non flammable
INCOMPATABLE MATERIALS	S. Strong acids and oxidi	ers. Do not mix product with other	
11. TOXICOLOGICAL INFOR	MATION		
SYMPTOMS FOR ROUTES OF		ı	
	cosal Irritation to nose a		
	d redness and possible o	hemical burns.	
	tation and redness.		
INGESTION- Chem	ilcal burns to mouth, thr	oat, and stomach. Pain, nausea, vom	iting, and diarrhea.
12. ECOLOGICAL INFORMAT	rion	The state of the s	
Product is water soluble, blo		K(C.	
Neutralize then sewer or lan hazardous waste.	dfill in accordance with)	ocal, state, and federal regulations.	Unused product is considered a
14. TRANSPORT INFORMATI	ION		•
Ship in DOT approved contai	ners using approved trai	nsportation means.	
L5. REGULATORY INFORMAT	TION		
OOT: UN1760 CORROSIVE LIC	I MUISSATO9) 20N DIUQ	HYDROXIDE), 8, PGIII	e throat the second sec
6. OTHER INFORMATION			
NFPA Health 2	Flammability 0	Instability 0	Other