

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 1 of 13

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

**Product identifier used on the label**

: **NEVR-DULL®**

**Product Code(s)** : # 19294 (142 g)

**Recommended use of the chemical and restrictions on use**

: Polishing agent.  
No restrictions on use known.

**Chemical family** : Cotton wadding cloth impregnated with a mixture of: Petroleum distillates; Inorganic alkali

**Name, address, and telephone number of the supplier:**

**NLS Products**

Box 790, 1 Lakewood Crescent  
Bobcaygeon, ON, Canada  
K0M 1A0

Supplier's Telephone # : (705) 738-2321

**24 Hr. Emergency Tel #** : No information available.

**Name, address, and telephone number of the manufacturer:**

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

**Classification of the chemical**

Silver colored liquid, impregnated into a cotton wadding cloth. Mineral oil odor.

*Most important hazards:*

Flammable solid. May be ignited by open flames and sparks.

Irritating to eyes and skin. Inhalation may cause central nervous system depression. Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

Toxic to aquatic life with long lasting effects. Avoid release to the environment. See Section 12 for more environmental information.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Flammable solid - Category 2

Skin corrosion/irritation - Category 2

Eye damage/irritation - Category 2A

Specific target organ toxicity, single exposure - Category 3 (Narcotic effects)

**Label elements**

*Hazard pictogram(s)*



*Signal Word*  
Warning!

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 2 of 13

## SAFETY DATA SHEET

### Hazard statement(s)

- Flammable solid.
- Causes skin irritation.
- Causes serious eye irritation.
- May cause drowsiness or dizziness.

### Precautionary statement(s)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.
- Ground/Bond container and receiving equipment.
- Use explosion-proof electrical and ventilating equipment.
- Avoid breathing vapors.
- Wash exposed skin thoroughly after handling.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves and eye/face protection.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.  
 Store locked up.

Dispose of contents/container in accordance with local regulation.

### Other hazards

#### Other hazards which do not result in classification:

Toxic fumes may be released during a fire. Mild respiratory irritant. May cause gastrointestinal irritation. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache). Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
<b>Distillates (petroleum), hydrotreated light</b>	Isoparaffinic petroleum distillate Kerosene (petroleum), hydrotreated	64742-47-8	<b>30.0 - 60.0</b>
<b>Distillate (petroleum) hydrotreated heavy</b>	Odorless mineral spirits	64742-48-9	<b>30.0 - 60.0</b>
<b>Solvent naphtha (petroleum), light aromatic</b>	Aromatic naphtha	64742-95-6	<b>5.0 - 10.0</b>
<b>Ammonium hydroxide</b>	Ammonia, aqueous solution	1336-21-6	<b>0.5 - 1.5</b>

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

## SECTION 4. FIRST-AID MEASURES

### Description of first aid measures

- Ingestion* : If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation or symptoms develop, seek medical attention.
- Inhalation* : If inhaled: Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing stops, provide artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 3 of 13

## SAFETY DATA SHEET

- Skin contact* : IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.
- Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Flush eyes with water for at least 15 minutes. If eye irritation persists: get medical advice/attention.

### Most important symptoms and effects, both acute and delayed

- : Causes skin irritation. Contact may cause redness, swelling and a painful sensation. Causes serious eye irritation. Contact may cause redness, swelling and a painful sensation. May cause central nervous system effects. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Mild respiratory irritant. May cause coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache). Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

### Indication of any immediate medical attention and special treatment needed

- : Provide general supportive measures and treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

#### *Suitable extinguishing media*

- : Carbon dioxide (CO<sub>2</sub>); Dry chemical; Alcohol resistant foam; Water fog

#### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

### Special hazards arising from the substance or mixture / Conditions of flammability

- : Flammable solid. May be ignited by open flames and sparks. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Toxic fumes may be released during a fire.

### Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable solid - Category 2

### Hazardous combustion products

- : Carbon oxides; Nitrogen oxides (NO<sub>x</sub>); Reactive hydrocarbons; Polycyclic aromatic hydrocarbons; Ammonia (gas); Hydrogen; Nitrogen; Other unidentified organic compounds.

### Special protective equipment and precautions for firefighters

#### *Protective equipment for fire-fighters*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### *Special fire-fighting procedures*

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- : All persons dealing with the clean-up should wear the appropriate personal protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Wear appropriate protective equipment. Refer to protective measures listed in sections 7 and 8.

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 4 of 13

## SAFETY DATA SHEET

**Environmental precautions** : Prevent product from entering drains, sewers, waterways and soil. Avoid release to the environment.

### Methods and material for containment and cleaning up

: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use only non-sparking tools. Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.

### Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): Ammonium hydroxide (1000 lbs / 454 kg)

In Canada: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

: Use only outdoors or in a well-ventilated area. Wear suitable protective equipment during handling. Wear protective gloves and eye/face protection. Avoid breathing vapors. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Ground/Bond container and receiving equipment. Use explosion-proof electrical and ventilating equipment. Keep away from incompatibles. Keep container tightly closed when not in use. Wash thoroughly after handling. Empty containers retain residue and can be dangerous.

**Conditions for safe storage** : Store in cool/well-ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Keep away from incompatibles.

**Incompatible materials** : Strong oxidizing agents; Acids; Halogenated compounds

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
	Distillates (petroleum), hydrotreated light	200 mg/m <sup>3</sup> (as total hydrocarbon vapor) (skin)	N/Av	N/Av
Distillate (petroleum) hydrotreated heavy	N/Av	N/Av	N/Av	N/Av
Solvent naphtha (petroleum), light aromatic	N/Av	N/Av	N/Av	N/Av
Ammonium hydroxide	25 ppm (Ammonia)	35 ppm (Ammonia)	50 ppm (35 mg/m <sup>3</sup> ) (Ammonia)	N/Av

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 5 of 13

## SAFETY DATA SHEET

### Exposure controls

#### Ventilation and engineering measures

: Use only outdoors or in a well-ventilated area. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use explosion-proof electrical and ventilating equipment. In case of insufficient ventilation wear suitable respiratory equipment.

#### Respiratory protection

: If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

#### Skin protection

: Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Wear sufficient clothing to prevent skin contact.

#### Eye / face protection

: Wear eye/face protection. Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields. A full face shield may also be necessary.

#### Other protective equipment

: Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

#### General hygiene considerations

: Avoid breathing vapors. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Silver colored liquid, impregnated into a cotton wadding cloth.

**Odor** : Mineral oil odor.

**Odor threshold** : N/Av

**pH** : N/Av

**Melting/Freezing point** : N/Av

#### Initial boiling point and boiling range

: N/Av

**Flash point** : 63°C (145°F)

**Flashpoint (Method)** : N/Av

**Evaporation rate (BuAe = 1)** : N/Av

**Flammability (solid, gas)** : Flammable solid

#### Lower flammable limit (% by vol.)

: N/Av

#### Upper flammable limit (% by vol.)

: N/Av

**Oxidizing properties** : None known.

**Explosive properties** : Not explosive

**Vapor pressure** : N/Av

**Vapor density** : N/Av

#### Relative density / Specific gravity

: N/Av

**Solubility in water** : Insoluble.

**Other solubility(ies)** : N/Av

#### Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

**Auto-ignition temperature** : N/Av

**Decomposition temperature** : N/Av

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 6 of 13

## SAFETY DATA SHEET

Viscosity : N/Av  
Volatiles (% by weight) : 43.8%  
Volatile organic Compounds (VOC's)  
: N/Av  
Absolute pressure of container  
: N/Av  
Flame projection length : N/Av  
Other physical/chemical comments  
: No additional information.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions  
: Hazardous polymerization does not occur.  
Conditions to avoid : Direct sources of heat. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.  
Incompatible materials : Strong oxidizing agents; Acids; Halogenated compounds  
Hazardous decomposition products  
: None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Routes of entry inhalation : YES  
Routes of entry skin & eye : YES  
Routes of entry Ingestion : YES  
Routes of exposure skin absorption  
: NO

#### Potential Health Effects:

##### Signs and symptoms of short-term (acute) exposure

###### *Sign and symptoms Inhalation*

: Mild respiratory irritant. May cause coughing and breathing difficulties. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects.

###### *Sign and symptoms ingestion*

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

###### *Sign and symptoms skin*

: Causes skin irritation. Contact may cause redness, swelling and a painful sensation.

###### *Sign and symptoms eyes*

: Causes serious eye irritation. Contact may cause redness, swelling and a painful sensation.

##### Potential Chronic Health Effects

: Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

##### Mutagenicity

: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

##### Carcinogenicity

: Not classifiable as a human carcinogen. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 7 of 13

## SAFETY DATA SHEET

### Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

### Sensitization to material

: No data available to indicate product or components may be respiratory sensitizers.  
 No data available to indicate product or components may be skin sensitizers.

### Specific target organ effects

: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:  
 Specific target organ toxicity, single exposure - Category 3. May cause drowsiness or dizziness.

### Medical conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

### Synergistic materials

: None known or reported by the manufacturer.

### Toxicological data

: Not classified for acute toxicity based on available data. No data is available on the product itself. The calculated ATE values for this mixture are:  
 ATE oral = > 14,000 mg/kg  
 ATE dermal = > 31,600 mg/kg  
 ATE inhalation (vapors) = > 177 mg/L/4H

See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC<sub>50</sub> (4hr)</u> <u>inh, rat</u>	<u>LD<sub>50</sub></u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Distillates (petroleum), hydrotreated light	> 5.2 mg/L (aerosol) (No mortality)	> 5000 mg/kg	> 2000 mg/kg (No mortality)
Distillate (petroleum) hydrotreated heavy	> 5.04 mg/L (vapor)	> 7000 mg/kg	> 2000 mg/kg (No mortality)
Solvent naphtha (petroleum), light aromatic	> 17.7 mg/L (vapor)	8400 mg/kg	> 3160 mg/kg
Ammonium hydroxide	3670 ppm (rat) (Ammonia) 2115 ppm (mouse) (Ammonia)	350 mg/kg	N/Av

### Other important toxicological hazards

: None known or reported by the manufacturer.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

: Toxic to aquatic life with long lasting effects. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. The product contains the following substances which are hazardous for the environment: Distillates (petroleum), hydrotreated light; Naphtha (petroleum), hydrotreated heavy; Solvent naphtha (petroleum), light aromatic.

See the following tables for individual ingredient ecotoxicity data.

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 8 of 13

## SAFETY DATA SHEET

**Ecotoxicity data:**

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Distillates (petroleum), hydrotreated light	64742-47-8	20 mg/L (Rainbow trout) (Read-across)	N/Av	None.
Distillate (petroleum) hydrotreated heavy	64742-48-9	8.2 mg/L (Fathead minnow)	N/Av	None.
Solvent naphtha (petroleum), light aromatic	64742-95-6	9.2 mg/L (Rainbow trout)	N/Av	None.
Ammonium hydroxide	1336-21-6	8.2 mg/L (Fathead minnow)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Distillates (petroleum), hydrotreated light	64742-47-8	40 - 89 mg/L (Daphnia magna) (Read-across)	0.48 mg/L (Read-across)	None.
Distillate (petroleum) hydrotreated heavy	64742-48-9	32 mg/L (Daphnia magna)	6.3 mg/L	None.
Solvent naphtha (petroleum), light aromatic	64742-95-6	6.16 mg/L (Daphnia magna)	N/Av	None.
Ammonium hydroxide	1336-21-6	0.66 mg/L (Daphnia magna)	N/Av	1

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Distillates (petroleum), hydrotreated light	64742-47-8	6.2 mg/L/96hr (Green algae) (Read-across)	0.4 mg/L/96hr (Read-across)	None.
Distillate (petroleum) hydrotreated heavy	64742-48-9	45 mg/L/96hr (Green algae)	18 mg/L/96hr	None.
Solvent naphtha (petroleum), light aromatic	64742-95-6	N/Av	N/Av	None.
Ammonium hydroxide	1336-21-6	N/Av	N/Av	None.

**Persistence and degradability**

- : The product itself has not been tested.
- The following ingredients are considered to be readily biodegradable: Ammonium hydroxide. Ammonia or ammonium ion is rapidly converted to nitrate by nitrification under aerobic conditions in the aquatic environment. Ammonia is part of the nitrogen cycle. Therefore considered to rapidly degrade.
- Contains the following chemicals which are considered to be inherently biodegradable: Distillates (petroleum), hydrotreated light; Naphtha (petroleum), hydrotreated heavy; Solvent naphtha (petroleum), light aromatic.



NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 9 of 13

## SAFETY DATA SHEET

**Bioaccumulation potential** : The product itself has not been tested. See the following data for ingredient information.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	5.1 - 8.8	N/Av
Distillate (petroleum) hydrotreated heavy (CAS 64742-48-9)	2.1 - 6 (calculated)	10 - 2500 (calculated)
Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6)	2.1 - 6 (calculated)	10 - 2500 (calculated)

**Mobility in soil** : The product itself has not been tested.

**Other Adverse Environmental effects**

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal** : Refer to protective measures listed in sections 7 and 8. Handle in accordance with good industrial hygiene and safety practice. Empty containers retain residue and can be dangerous. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

**Methods of Disposal** : Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA** : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

NEVR-DULL®





# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 10 of 13

## SAFETY DATA SHEET

### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1325	FLAMMABLE SOLID, ORGANIC, N.O.S. [Naphtha (petroleum), hydrotreated heavy; Solvent naphtha (petroleum), light aromatic]	4.1	III	
<b>TDG Additional information</b>	May be shipped as Limited Quantity when transported in containers no larger than 5.0 kg; in packages not exceeding 30 kg gross mass.				
49CFR/DOT	UN1325	FLAMMABLE SOLID, ORGANIC, N.O.S. [Naphtha (petroleum), hydrotreated heavy; Solvent naphtha (petroleum), light aromatic]	4.1	III	
<b>49CFR/DOT Additional information</b>	May be shipped as Limited Quantity when transported in containers no larger than 5.0 kg; in packages not exceeding 30 kg gross mass. Refer to 49 CFR Section 173.151.				
ICAO/IATA	UN1325	Flammable solid, organic, n.o.s. [Naphtha (petroleum), hydrotreated heavy; Solvent naphtha (petroleum), light aromatic]	4.1	III	
<b>ICAO/IATA Additional information</b>	Refer to the appropriate Packing Instruction, prior to shipping this material. Review all State and Operator Variations, prior to shipping this material.				
IMDG	UN1325	FLAMMABLE SOLID, ORGANIC, N.O.S. [Naphtha (petroleum), hydrotreated heavy; Solvent naphtha (petroleum), light aromatic]	4.1	III	
<b>IMDG Additional information</b>	May be shipped as Limited Quantity when transported in containers no larger than 5.0 kg; in packages not exceeding 30 kg gross mass.				

**Special precautions for user** : Appropriate advice on safety must accompany the package. Keep away from heat, sparks and open flame. - No smoking. Avoid release to the environment.

**Environmental hazards** : This mixture meets the criteria for an environmentally hazardous material according to the IMDG Code. See Section 12 for more environmental information.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
 : Not applicable.



NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 11 of 13

## SAFETY DATA SHEET

### SECTION 15 - REGULATORY INFORMATION

#### US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Distillates (petroleum), hydrotreated light	64742-47-8	Yes	None.	None.	No	N/Ap
Distillate (petroleum) hydrotreated heavy	64742-48-9	Yes	None.	None.	No	N/Ap
Solvent naphtha (petroleum), light aromatic	64742-95-6	Yes	None.	None.	No	N/Ap
Ammonium hydroxide	1336-21-6	Yes	1000 lb/ 454 kg	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes:

Physical hazards (Flammable solid)

Health hazards (Skin irritation; Eye irritation; Specific target organ toxicity, single exposure)

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

#### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Distillates (petroleum), hydrotreated light	64742-47-8	No	N/Ap	No	No	No	No	No	No
Distillate (petroleum) hydrotreated heavy	64742-48-9	No	N/Ap	No	No	No	No	No	No
Solvent naphtha (petroleum), light aromatic	64742-95-6	No	N/Ap	No	No	No	No	No	No
Ammonium hydroxide	1336-21-6	No	N/Ap	Yes	Yes	No	Yes	Yes	No

#### Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product contains the following substances listed on the NPRI:

- Distillates (petroleum), hydrotreated light (Part 5: Other groups and mixtures)
- Naphtha (petroleum), hydrotreated heavy (Part 5: Other groups and mixtures)
- Solvent naphtha (petroleum), light aromatic (Part 5: Other groups and mixtures)

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.



NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 12 of 13

## SAFETY DATA SHEET

### International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	<u>CAS #</u>	<u>European EINECS</u>	<u>Australia AICS</u>	<u>Philippines PICCS</u>	<u>Japan ENCS</u>	<u>Korea KECI/KECL</u>	<u>China IECSC</u>	<u>New Zealand IOC</u>
Distillates (petroleum), hydrotreated light	64742-47-8	265-149-8	Present	Present	(9)-1700	KE-12550	Present	May be used as a single component chemical under an appropriate group standard.
Distillate (petroleum) hydrotreated heavy	64742-48-9	265-150-3	Present	Present	(9)-1690	KE-25622	Present	May be used as a single component chemical under an appropriate group standard.
Solvent naphtha (petroleum), light aromatic	64742-95-6	265-199-0	Present	Present	(9)-1698	KE-31662	Present	May be used as a single component chemical under an appropriate group standard.
Ammonium hydroxide	1336-21-6	215-647-6	Present	Present	(1)-314	KE-01688	Present	HSR001526, HSR001517, HSR001516, HSR001563 (dilution)

### SECTION 16. OTHER INFORMATION

#### Legend

- : ACGIH: American Conference of Governmental Industrial Hygienists
- AICS: Australian Inventory of Chemical Substances
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Services
- CSA: Canadian Standards Association
- EC50: Effective Concentration 50%
- EINECS: European Inventory of Existing Commercial chemical Substances
- ENCS: Existing and New Chemical Substances
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- IBC: Intermediate Bulk Container
- IECSC: Inventory of Existing Chemical Substances
- IMDG: International Maritime Dangerous Goods
- IOC: Inventory of Chemicals
- KECI: Korean Existing Chemicals Inventory
- KECL: Korean Existing Chemicals List
- LC: Lethal Concentration
- LD: Lethal Dose
- N/Ap: Not Applicable
- N/Av: Not Available
- NIOSH: National Institute of Occupational Safety and Health
- NOEC: No observable effect concentration
- NTP: National Toxicology Program
- OECD: Organisation for Economic Co-operation and Development
- OSHA: Occupational Safety and Health Administration

NEVR-DULL®

# 19294 (142 g)

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 13 of 13

## SAFETY DATA SHEET

PEL: Permissible exposure limit  
 PICCS: Philippine Inventory of Chemicals and Chemical Substances  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 SDS: Safety Data Sheet  
 STEL: Short Term Exposure Limit  
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
 TLV: Threshold Limit Values  
 TSCA: Toxic Substance Control Act  
 TWA: Time Weighted Average  
 WHMIS: Workplace Hazardous Materials Identification System

**References**

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2017.
- 2. International Agency for Research on Cancer Monographs, searched 2018.
- 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2018 (Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists - March 2015 version.
- 6. California Proposition 65 List - December 29, 2017 version.
- 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2018.

**Preparation Date (mm/dd/yyyy)**

: 05/01/2018

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

<p><b><u>Prepared for:</u></b>          NLS Products          Box 790, 1 Lakewood Crescent          Bobcaygeon, ON, Canada          K0M 1A0          Telephone: (705) 738-2321          Direct all enquiries to: NLS Products</p>	
<p><b><u>Prepared by:</u></b>          ICC The Compliance Center Inc.          Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada)  <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by NLS Products and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and NLS Products expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and NLS Products.

**END OF DOCUMENT**